Journal of Non-Crystalline Solids 164–166 (1993) ix–xxv
North-Holland

Contents

Editorial vii
Sponsors vii
Committees viii
Contents Parts I and II ix

Part I

Section 1. Amorphous germanium and Si–Ge alloys

The Mott Lecture. Structural and electronic properties of amorphous SiGe:H alloys
W. Paul, J.H. Chen, E.Z. Liu, A.E. Wetsel and P. Wickboldt 1

Activated transport in improved hydrogenated amorphous germanium (a-Ge:H) – the influence of cooling rate, contacts, electric field and a-Si:H barriers
T. Drüsedau, D. Pang and P. Wickboldt 11

Spin dependent photoconductivity in hydrogenated amorphous silicon germanium alloys
C.F.O. Graeff, M.S. Brandt, K. Eberhardt, I. Chambouleyron and M. Stutzmann 15

Effect of H-content and H-bonding configuration on light and thermal induced metastability in amorphous hydrogenated germanium (a-Ge:H)
K. Eberhardt and G.H. Bauer 19

Electronic mobility gap structure and the nature of deep defects in amorphous silicon–germanium alloys
T. Unold and J.D. Cohen 23

Interfacial reactions in the a-$Si_{1-x}Ge_x$:H/Cr/quartz system
F. Edelman, C. Cytermann, R. Brener, M. Eizenberg, R. Weil and W. Beyer 27

Section 2. Deposition

Importance of surface processes in defect formation in a-Si:H
G. Ganguli and A. Matsuda 31

Towards high deposition rates of a-Si:H: the limiting factors
P. Roca i Cabarrocas 37

Defect determination kinetics during the growth of a-Si:H
T. Kamei, G. Ganguly, N. Hata and A. Matsuda 43

Stable a-Si:H fabricated from halogenous silane by ECR hydrogen plasma
M. Azuma, T. Yokoi, I. Shiiya and I. Shimizu 47

Threshold intensity for dangling-bond-termination reaction by ultraviolet laser irradiation during plasma deposition of a-Si:H films
A. Suzuki and A. Matsuda 51

Control of a-Si:H deposition by the ion flux in a VHF plasma
M. Heintze and R. Zedlitz 55

0022-3093/93/$06.00 © 1993 – Elsevier Science Publishers B.V. All rights reserved

Influence of higher deposition temperature on a-Si:H material properties, powder formation and light-induced degradation, using the VHF (70 MHz) glow discharge technique
U. Kroll, J. Meier, M. Goetz, A. Howling, J.-L. Dorier, J. Dutta, A. Shah and C. Hollenstein .. 59

Relationship between film quality and deposition rate for a-Si:H by ECR plasma CVD
M. Zhang, Y. Nakayama, S. Nonoyama and K. Wakita 63

Hydrogenated amorphous silicon–nitrogen alloys, a-Si,N:H: a candidate alloy for the wide band gap photo-active material in tandem photovoltaic (PV) devices
M.J. Williams, S.M. Cho, S.S. He and G. Lucovsky 67

Fabrication of amorphous silicon solar cells at high temperatures using ECR deposition techniques
V.L. Dalal, M. Leonard and G. Baldwin 71

Key parameters for further reduction of gap states in a-Ge:H and its improved stability under keV-electron irradiation
T. Drüsedau, B. Müller, A. Scholz and B. Schröder 75

Growth of amorphous zinc phosphide films by reactive radio frequency sputtering
A. Weber, P. Sutter and H. von Känel 79

Deposition of a-Si:H with hot-wire-technique
R. Zedlitz, F. Kessler and M. Heintze 83

Deposition of device quality a-Si:H films with the hot-wire technique
P. Papadopulos, A. Scholz, S. Bauer, B. Schröder and H. Oechsner 87

Electron-flux induced growth of microcrystalline germanium by ECR plasma
T. Aoki, Y. Nishikawa, K. Fukasawa, W.Q. Sheng and M. Hirose 91

Hydrogenated amorphous silicon films prepared from trisilane by windowless hydrogen discharge lamp
A. Yoshida, S. Ikeda and H. Tsuchimoto 95

Unusual magnetron sputtered a-Si:H materials obtained at high deposition rates as favourable precursors for the preparation of large grain sized crystallized thin silicon films
M. Cuniot, J. Dixmier and P. Elkaim 99

Section 3. In-situ characterisation

In-situ investigation of the growing a-Si:D surface by infrared reflection absorption spectroscopy
Y. Toyoshima, A. Matsuda and K. Arai 103

In situ infrared ellipsometry study of the hydrogen incorporation in p-doped amorphous silicon and p–i interfaces
R. Ossikovski, B. Drévillon and J. Perrin 107

Real time infrared reflectance spectroscopy: A study of hydrogen incorporation and release during a-Si:H growth by reactive magnetron sputtering
M. Katiyar, G.F. Feng, Y.H. Yang, N. Maley and J.R. Abelson 111

Optical detection and dynamics of surface transient processes in plasma CVD of hydrogenated amorphous silicon
A. Takano, N. Naito, M. Kawasaki and H. Koinuma 115

In situ UV–visible and infrared ellipsometry study of the influence of silane dilution on the growth of hydrogenated amorphous silicon
H. Shirai, B. Drévillon, N. Layadi and P. Roca i Cabarrocas 119

In situ characterization of chemical annealing of a-Si:H by photoelectron spectroscopy
T. Gertkemper, J. Ristein and L. Ley 123

Influence of powder formation in a silane discharge on a-Si:H film growth monitored by in situ ellipsometry
U.I. Schmidt, B. Schröder and H. Oechsner 127

Section 4. Structure

The effects of Ar and He dilution of silane plasmas on the microstructure of a-Si:H detected by small-angle X-ray scattering
S.J. Jones, Y. Chen, D.L. Williamson, U. Kroll and P. Roca i Cabarrocas 131
Microstructure of P–Se glasses and low frequency Raman scattering
R.T. Phillips and M.K. Ellis 135
Structure of Ag–Ge–S glasses determined by isotopic substitution neutron scattering and reverse Monte Carlo simulations
J.H. Lee, A.P. Owens and S.R. Elliott 139
Effect of deposition temperature on disorder in InP
S.C. Bayliss, S.H. Baker, J.S. Bates, S.J. Gurman, R. Bradley and E.A. Davis 143
Reverse Monte Carlo simulation: the structure of amorphous silicon
L. Pusztai and S. Kugler 147
Structural studies of amorphous $Cd_{59}As_{41}$ and $Cd_{26}As_{74}$ films by anomalous X-ray scattering
A. Burian, P. Lecante, A. Mosset, J. Galy, J.M. Tonnerre and D. Raoux 151
Small angle X-ray scattering and infrared spectroscopy study of sputtered a-Ge:H
M. Mulato, I.L. Torriani and I. Chambouleyron 155
Local structure and dynamics of amorphous germanium studied by the cumulant expansion of EXAFS
G. Dalba, P. Fornasini, D. Diop, M. Grazioli and F. Rocca 159

Section 5. Stability

Light-induced effects and stability in a-Si:H and related alloys
T. Shimizu 163
Pulsed-ESR study of light-induced metastable defect in a-Si:H
S. Yamasaki and J. Isoya 169
Temperature dependence of creation and annealing of light-induced metastable defects in a-Si:H
P. Stradins, M.Q. Tran and H. Fritzsche 175
Do impurities affect the optoelectronic properties of a-Si:H?
M. Nakata, S. Wagner and T.M. Peterson 179
Isolating the rate of light-induced annealing of the dangling-bond defects in a-Si:H
H. Gleskova, J.N. Bullock and S. Wagner 183
Difference between deposition- and light-induced defects in a-Si:H studied by light-induced annealing experiments
N. Hata and A. Matsuda 187
Kinetics of defect creation by pulsed laser illumination in hydrogenated amorphous silicon films deposited from pure silane and from silane–helium mixtures
S. Vignoli, R. Meaudre, M. Meaudre, L. Chanel and P. Roca i Cabarrocas 191
Light-induced transient changes of the occupied density of defect states of a-Si:H
W. Graf, M. Wolf, K. Leihkamm, J. Ristein and L. Ley 195
Thermally stimulated defect removal in hydrogenated amorphous silicon thin film transistors
P.N. Morgan, W.I. Milne, S.C. Deane and M.J. Powell 199
Thermodynamic equilibrium kinetics of phosphorus and boron doped a-Si:H
C.E. Nebel, R.A. Street, W.B. Jackson and N.M. Johnson 203

Light-induced states in a-As_2Se_3: comparison with a-Si:H
H. Naito and M. Okuda 207
A new method for detecting the delicate Si:H bond change in a-Si:H
G.L. Kong, D.L. Zhang, Y.P. Zhao, G.S. Sun, G.Q. Pan and X.B. Liao 211
Dispersive model for the creation and annealing processes of light-induced defects in a-Si:H
K. Morigaki and F. Yonezawa 215
The presence of different kinds of dangling bonds and their light-induced creation in a-Si:H
H. Hikita, K. Takeda, Y. Kimura, H. Yokomichi and K. Morigaki 219
New results of spin–lattice relaxation in a-Si:H by pulsed ESR
R. Durny, S. Yamasaki, J. Isoya, A. Matsuda and K. Tanaka 223
Possibility of hydrogen migration in photoinduced defect creation process of a-Si:H
M. Kondo and K. Morigaki 227
Kinetics and steady-states of light-induced defects in a-Si:H prepared by three different techniques
N. Hata and A. Matsuda 231
Pulsed ruby laser accelerated degradation of amorphous hydrogenated silicon
O. Klíma, O. Štika, H.T. Ha, S.F.A. Hamied, J. Stuchlík and J. Kočka 235
Dynamic phase diagram for a-Si in rapid thermal processes
A. Kitagawa, S. Kanai and M. Suzuki 239
In-situ measurements during the growth of a-Si:H on c-Si substrates
C. Swiatkowski and M. Kunst 243
Aging effects in a-Si:H pin solar cells investigated by below gap modulated photocurrent spectroscopy
D. Mencaraglia, Z. Djebbour, J. Sib and S. Assal 247
Persistent photoconductivity in a-$Si_{1-x}S_x$:H at low sulfur concentration
S.L. Wang, J.M. Viner, M. Anani and P.C. Taylor 251
Thermal quenching in doped LPCVD amorphous silicon hydrogenated by ion implantation
S.M. Pietruszko 255
Effect of the deposition variables on amorphous silicon stability
R.H. Buitrago, R.D. Arce and R.R. Koropecki 259

Section 6. Hydrogen

Effect of hydrogen exchange on diffusion and evolution in hydrogenated amorphous silicon
W.B. Jackson 263
Hydrogen diffusion mechanism in amorphous silicon from deuterium tracer studies
H.M. Branz, S. Asher, B.P. Nelson and M. Kemp 269
Accelerated hydrogen migration under steady-state and pulsed illumination in a-Si:H
P.V. Santos, M.S. Brandt, R.A. Street and M. Stutzmann 273
Hydrogen migration in a pulsed electric field in a-Si:H
P.V. Santos, N.M. Johnson and R.A. Street 277
The effect of post-hydrogenation on the equilibrium and metastable properties of hydrogenated amorphous silicon
N.H. Nickel and W.B. Jackson 281
Experimental study of disorder and defects in undoped a-Si:H as a function of annealing and hydrogen evolution
K. Zellama, J.H. von Bardeleben, V. Quillet, Y. Bouizem, P. Sládek, M.L. Thèye and P. Roca i Cabarrocas 285

Diffusion of lithium and hydrogen in hydrogenated amorphous silicon
W. Beyer and U. Zastrow 289
Interstitial hydrogen in silicon: a theoretical study
R. Colle and K. Stavrev 293
Modelling of hydrogen centres in silicon and its oxides by muon implantation
A. Singh, E.A. Davis and S.F.J. Cox 297
Monte Carlo simulations of anomalous relaxation in a-Si:H – random walk in spaces of fractal dimension
S. Fujiwara, S. Gomi, K. Morigaki and F. Yonezawa 301
Hydrogen diffusion in a-Si:H/a-Si structure under electrical bias
Z. Song, F. Zhang, G. Yu, G. Kong and G. Chen 305
Optimisation of the hydrogen content in a-Si:H deposited at high rate by dc magnetron sputtering
N. Beldi, J. Sib, L. Chahed, T. Smaïl, T. Mohammed-Brahim, Z. Djebbour, J.P. Kleider, C. Longeaud and D. Mencaraglia 309
Microscopic motion of hydrogen in the dilute and clustered phases of hydrogenated amorphous silicon
P. Hari, P.C. Taylor and R.A. Street 313

Section 7. Gap states

The defect-pool model and charged defects in amorphous silicon
G. Schumm 317
Defect pool model parameters for amorphous silicon derived from field effect measurements
S.C. Deane and M.J. Powell 323
Relaxation of the D center in amorphous silicon and how this accounts for the observed energy distributions of deep defects within the mobility gap
J.D. Cohen, T.M. Leen and F. Zhong 327
Photocarrier drift and recombination in a-Si:H: the vital importance of defect relaxation
E.A. Schiff, H.M. Branz, D. Han, D.C. Melcher and M. Silver 331
On the role of hydrogen in metastable defect equilibration in undoped hydrogenated amorphous silicon
M. Vaněček, J. Fric, R.S. Crandall and A.H. Mahan 335
Transient forward bias currents in a-Si:H p–i–n devices
D. Han, K. Wang and M. Silver 339
Electronic and optical properties of n-type a-Si:H
K. Gaughan, Z. Lin, J.M. Viner, P.C. Taylor and P.C. Mathur 343
Steady-state optical modulation spectroscopy of B_2H_6 doped a-Si:H
H. Herremans, J. Jansen and W. Grevendonk 347
Interpretation of CPM measurements in amorphous semiconductors
K. Hattori, S. Fukuda, K. Nishimura, H. Okamoto and Y. Hamakawa 351
More insights from simulation for the interpretation of the constant photocurrent method
R. Platz, R. Brüggemann and G.H. Bauer 355
Optical absorption of high quality a-Si:H and a-Si_xN_{1-x}:H in the low energy region 0.43 eV–1.5 eV by PDS
S. Nonomura, T. Nishiwaki, S. Kusakabe, E. Nishimura, T. Itoh and S. Nitta 359
Analysis of the temperature dependence of the CPM-derived optical absorption spectra of hydrogenated amorphous silicon films
P. Sládek, M.L. Thèye and L. Chahed 363

Optically detected ESR studies of a-Si:H
D. Mao and P.C. Taylor 367
ESR studies on a-Si:H: evidence for charged defects and safe hole traps
J. Hautala and J.D. Cohen 371
Photoconductivity spectroscopy (CPM) on a-Ge:H at low temperatures
A. Scholz, B. Müller, B. Schröder, H. Oechsner and H. Freistedt 375
Thickness dependence of spectral photoconductivity in a-Si:H
P. Fiorini, M. Petracca, S. Korepanov, L. Fornarini, A. Mittiga and G. Grillo 379
Dual-beam photocurrent spectra in undoped a-Si:H: anomalous band, optical transition energy, and correlation energy
J.Z. Liu, G. Lewen, J.P. Conde and P. Roca i Cabarrocas 383
Photoinduced metastable defects in amorphous semiconductors: communality between hydrogenated amorphous silicon and chalcogenides
K. Shimakawa, A. Kondo, K. Hayashi, S. Akahori, T. Kato and S.R. Elliott 387
Pressure induced effects in glassy semiconductors: variations of negative-U center properties and related superconductivity
M.I. Klinger and S.N. Taraskin 391
Light-induced defects in a-Si:H
O.A. Golikova, M.M. Kazanin and R.G. Ikramov 395
The dependencies of the two carriers mobility–lifetime products on the position of the Fermi level in a-Si:H
Y. Lubianiker, I. Balberg, S.Z. Weisz and M. Gomez 399
Influence on the transport properties of the deposition temperature of a-Si:H films deposited from mixtures of silane in helium at high deposition rates
J.P. Kleider, C. Longeaud and P. Roca i Cabarrocas 403
Cycled xerographic and time-of-flight measurements: theory and experiment
J. Veres and C. Juhasz 407
Study of the density of states in a-Si:H using the Si/electrolyte system
A. Many, Y. Goldstein, S.Z. Weisz, J. Penalbert, W. Munoz and M. Gomez 411
Defect density and photoelectrical properties of alternative doped amorphous silicon
J. Schmal, R. Kirsch, M. Albert, F. Stahr and R. Bindemann 415
CPM and spectral photoconductivity techniques: a critical analysis of the experimental results
G. Conte, F. Irrera, G. Nobile and F. Palma 419
Determination of the density of states in p doped hydrogenated amorphous silicon by means of the modulated photocurrent experiment
C. Longeaud, J.P. Kleider, D. Mencaraglia, A. Amaral and C.N. Carvalho 423
Limits of the constant photocurrent method (CPM) for the determination of the deep defect density in amorphous hydrogenated silicon (a-Si:H)
A. Mettler, N. Wyrsch and A. Shah 427

Section 8. Transport

Equilibrium and non-equilibrium transport in band tails
P. Thomas and S.D. Baranovskii 431
Effective temperature for electrons in band tails
S.D. Baranovskii, B. Cleve, R. Hess and P. Thomas 437
Transport near the mobility edge, the sign of the Hall effect, photoreduction and oxidation of amorphous InO_x
B. Pashmakov, B. Claflin and H. Fritzsche 441

Hall effect near the mobility edge
H. Okamoto, K. Hattori and Y. Hamakawa 445
Hall experiments and interpretation on a-Si:H and a-SiC:H
C.E. Nebel and R.A. Street 449
In search of a normal Hall effect in amorphous silicon
B.Y. Tong and J. Du 453
Electrons, holes, and the Hall effect in amorphous silicon
G.J. Morgan, J. Okumu, J.M. Holender, D. Weaire and D. Hobbs 457
Multifractality and anomalous diffusion at the mobility edge in disordered systems
B. Huckestein and L. Schweitzer 461
Stochastic transport model for diffusive properties in amorphous systems
S. Gomi, S. Fujiwara and F. Yonezawa 465
Conductance fluctuations in doped hydrogenated amorphous silicon
J. Fan, L.M. Lust and J. Kakalios 469
Random telegraphic noise in a-$Si_{1-x}C_x$:H Schottky barriers
N. Bernhard, B. Frank and G.H. Bauer 473
Response time measurements in microcrystalline silicon
R. Schwarz, F. Wang, S. Grebner, T. Fischer, S. Koynov, V. Chu, P. Brogueira and J. Conde .. 477
Time and frequency domain studies of photoconductivity in amorphous semiconductors
C. Main, R. Brüggemann, D.P. Webb and S. Reynolds 481
Role of dangling bond charge in determining $\mu\tau$-products for a-Si:H
A. Shah, J. Hubin, E. Sauvain, P. Pipoz, N. Beck and N. Wyrsch 485
Demonstration of space-charge-limited time of flight as a new tool for characterization of real a-Si:H solar cells
J. Kočka, G. Juška, O. Klíma, E. Šípek, G. Nobile, E. Terzini and G. Conte 489
Trapping effects in a-Si:H investigated by the SSPG technique
M. Haridim, M. Zelikson and K. Weiser 493
Carrier mobility and lifetime in a-Si:H determined by the moving grating technique
U. Haken, M. Hundhausen and L. Ley 497
The effect of hydrogenation on the electronic properties of amorphous silicon–nickel alloys near the metal–insulator transition
U. Dammer, C.J. Adkins, R. Asal and E.A. Davis 501
Electric field relaxation in prolonged-time photocurrent experiments
M. Nesládek, F. Schauer, P. Brada, G.J. Adriaenssens and L.M. Stals 505
Amorphous silicon dispersive transport considerations for analysis of films and solar cells
C.M. Fortmann, R.M.A. Dawson, M. Gunes and C.R. Wronski 509
Conductivity and magnetoconductivity of amorphous Cr_xGe_{1-x} near the metal–insulator transition
A. Heinrich, H. Vinzelberg, D. Elefant and C. Gladun 513
Dark and photoconductivity of TBP doped N-type a-Si:H
R.M. Mehra, G.I.J.A. Pundir and P.C. Mathur 517
Study of the temperature and field dependence of electron drift mobility in a-$Si_{1-x}C_x$:H using the time-of-flight technique
P.A. Bayley, A.K. Browne, J.M. Marshall, R.A.C.M.M. van Swaaij and A.R. Hepburn 521
Transient photoconductivity response with optical bias in a-Si:H
P. Pipoz, N. Wälchli, H. Beck and A. Shah 525
Field enhanced conductivity in a-Si:H thin film transistors
A. Nagy, M. Hundhausen, L. Ley, G. Brunst and E. Holzenkämpfer 529

Experimental dark discharge of a-$Si_{1-x}C_x$: H films and its comparison to Monte Carlo simulations
R.A.C.M.M. van Swaaij, S.J. Elmer, W.P.M. Willems, J. Bezemer, J.M. Marshall and A.R. Hepburn 533
Temperature dependent SCLC in amorphous silicon
F. Schauer and O. Zmeškal 537

Section 9. Recombination

Recombination in a-Si:H films and pin-structures studied by electrically detected magnetic resonance (EDMR)
W. Fuhs and K. Lips 541
Spin-dependent photoconductivity as a function of wavelength: a test for the constant photocurrent method in a-Si:H
M.S. Brandt and M. Stutzmann 547
Transport and recombination in a-Si:H p–i–n diodes under forward bias conditions
R. Carius, F. Becker, R. Brüggemann, F. Finger, C. Beneking and H. Wagner 551
Influence of defects and temperature on the lifetime distribution of carriers in a-Si:H
M. Schubert, R. Stachowitz, R. Saleh and W. Fuhs 555
Discontinuous change of photoluminescence lifetime with temperature in hydrogenated amorphous silicon
H. Oheda 559
Non-equilibrium carriers in a-Si:H excited by defect absorption
R. Saleh, I. Ulber, W. Fuhs and H. Mell 563
Reconsideration of electron–lattice interaction in amorphous semiconductors
Y. Shinozuka 567
Temperature dependence of photoluminescence spectra and model of self-trapping of holes in a-Si:H
K. Morigaki, M. Yamaguchi and I. Hirabayashi 571
Optical detection of photoconductivity in hydrogenated amorphous silicon, a-Si:H, in the sub-picosecond time domain
H. Kurz, A. Esser, H. Heesel, G. Lucovsky, C. Wang and G. Parsons 575
Subnanosecond bimolecular non-radiative recombination in a-Si:H
G. Juška, J. Kočka, M. Viliūnas and K. Arlauskas 579
Frequency-resolved spectroscopy and its application to lifetime studies in a-Si:H
R. Stachowitz, M. Schubert and W. Fuhs 583
Quantum efficiency of geminate recombination under dispersive transport conditions
V.I. Arkhipov and V.R. Nikitenko 587
Electric field quenching of continuous wave photoluminescence in hydrogenated amorphous silicon
S. Yi, C. Palsule, S. Gangopadhyay, U. Schmidt and B. Schröder 591
The effect of photodegradation on electroluminescence in a-Si:H devices
K. Wang, D. Han and M. Silver 595
Effect of light-induced degradation on photoconductive gain in a-Si:H n–i–p devices
R. Vanderhaghen, R. Amokrane, D. Han and M. Silver 599
Time-resolved transients of IR-stimulated luminescence and conductivity in a-Si:H
H.-P. Vollmar, P. Botzler, J.-U. Sachse and R. Bindemann 603
Photoconductivity in compensated a-Si:H and the effect of bias light on the drift mobility
P. Tzanetakis, H. Fritzsche, M.Q. Tran, M. Androulidaki and E. Rynes 607

A NAN-like model for the growth and steady state magnitude of photoluminescence and carrier population in amorphous semiconductors at low temperatures
T.M. Searle 611
The shape of the PL band in a-Si:H and its alloys of carbon and nitrogen
T.M. Searle, A. Dimba, T.-H. Wang, M. Sendova-Vassileva and F. Alvarez 615
Temperature dependence of radiative and non-radiative lifetimes in hydrogenated amorphous silicon
T. Muschik and R. Schwarz 619
Trapping and recombination processes in amorphous semiconductors studied by the optical bias dependence of the modulated photoconductivity
P. Kounavis and E. Mytilineou 623
Electron and hole $\mu\tau$ products in a-Si:H and the standard dangling bond model
E. Morgado 627
On the nature of photo-induced defects and recombination mechanisms in light-soaked a-Si:H films
I.P. Zvyagin, I.A. Kurova and N.N. Ormont 631
Photoluminescence and photothermal deflection spectroscopy in potassium doped a-Si:H
R. Galloni, R. Rizzoli, C. Summonte, F. Zignani, Y. Xiao and J.I. Pankove 635
Visible photoluminescence of nanometer-size Ge crystallites in SiO_2 glassy matrices
Y. Kanemitsu 639

Author index Parts I and II xxvii
Subject index Parts I and II xlviii

Part II

Section 10. Diodes

P.G. LeComber Memorial Lecture. Physics of a-Si:H p–i–n devices
R.A. Street 643
Physics of a-Si:H switching diodes
C. van Berkel, M.J. Powell and S.C. Deane 653
Light and current degradation of a-Si:H pin, nin and pip diodes detected with CPM
H.-C. Ostendorf, W. Kusian, W. Krühler and R. Schwarz 659
Some aspects of the role of holes in the transient response of a-Si:H pin-diodes
R. Brüggemann, C. Main and G.H. Bauer 663
Investigation of the interface properties of hydrogenated amorphous silicon p–i junctions
M. Trijssenaar, M. Zeman and J.W. Metselaar 667
Tailoring defects on amorphous silicon pin devices
R. Martins, A. Fantoni and M. Vieira 671
Spectrally resolved electroluminescence and photoluminescence in a-Si:H pin-diodes compared with optical multilayer calculations
F. Becker, R. Carius, T. Eickhoff, J.-T. Zettler, C. Beneking and H. Wagner 675

Section 11. Solar cells

a-Si technologies for high efficiency solar cells
S. Tsuda, T. Takahama, Y. Hishikawa, H. Tarui, H. Nishiwaki, K. Wakisaka and S. Nakano ... 679

Manufacturing of large area single junction a-Si:H solar modules with 10.7% efficiency
J. Bauer, H. Calwer, P. Marklstorfer, P. Milla, F.W. Schulze and K.-D. Ufert 685
High efficiency a-Si:H alloy cell deposited at high deposition rate
K. Saito, M. Sano, K. Ogawa and I. Kajita 689
Spin-dependent transport in amorphous silicon nin-structures
M.S. Brandt, M. Stutzmann and J. Kočka 693
Degradation of a-Si:H p–i–n solar cells studied by electrically detected magnetic resonance
K. Lips, M. Block, W. Fuhs and C. Lerner 697
Defect distribution in a-Si:H pin solar cells before and after degradation
M. Block 701
Transient response of the photocurrent in a-Si:H layers and solar cells
C. Ulrichs, T. Eickhoff and H. Wagner 705
Stability of amorphous silicon materials incorporated in solar cells and intrinsic layer profiling for enhanced stabilized performance
R.E.I. Schropp, A. Sluiter, M.B. von der Linden and J. Daey Ouwens 709
Uniform-field model of a-Si:H pin solar cells
W. Kusian and H. Pfleiderer 713
The dependence of a-Si:H/c-Si solar cell generator and spectral response characteristics on heterojunction band discontinuities
H. Eschrich, J. Bruns, L. Elstner and C. Swiatkowski 717

Section 12. Thin-film transistors

Amorphous silicon thin-film transistors
T. Tsukada 721
Integrated conventional and laser re-crystallised amorphous silicon thin film transistors for large area imaging and display applications
M. Hack, P. Mei, R. Lujan and A.G. Lewis 727
Fabrication and performance of thin film transistors, TFTs, incorporating doped μc-Si source and drain contacts, and boron-compensated μc-Si channel layers
S.S. He, M.J. Williams, D.J. Stephens and G. Lucovsky 731
Application of photo induced discharge technique for the investigation of a-Si:H thin-film transistor instability
G. Fortunato, R. Carluccio and L. Mariucci 735
Density of states in thin film transistors from the modulated photocurrent technique: application to the study of metastabilities
J.P. Kleider, C. Longeaud, D. Mencaraglia, A. Rolland, P. Vitrou and J. Richard 739
Hydrogenated amorphous silicon thin film transistor fabricated by n + anodization
B.S. Bae, S.H. Jung, H.M. Kang and J.H. Sohn 743
Voltage dependence of off current in a-Si:H TFT under backlight illumination
J.K. Yoon, Y.H. Jang, B.K. Kim, H.S. Choi, B.C. Ahn and C. Lee 747
Activated hydrogen effects on the electrical stability of a-Si:H thin-film transistors
R. Carluccio, G. Fortunato and W.I. Milne 751
Simulations on back gate effects of a-Si TFT off-current under illumination
S. Nishida, K. Takechi, N. Hirano and H. Uchida 755
Fabrication of high performance APCVD a-Si TFT using ion doping
B.C. Ahn, J.H. Kim, D.G. Kim, B.Y. Moon, K.H. Lee, S.S. Yoo, M.K. Han and J. Jang 759
Annealing effects of low pressure mercury and excimer laser on degraded a-Si:H TFTs
S.K. Lee, C.H. Oh, Y.S. Kim, J.S. Park, Y.I. Choi, J. Jang and M.K. Han 763

Capacitance studies of the a-Si TFT input stage
A.R. Long, M. Chahdi, D.G. Rodley, S. Nonomura and P.G. Le Comber 767

Section 13. Sensors

a-Si:H linear and 2-D image sensors
R.L. Weisfield 771
Doped amorphous selenium based photoreceptors for electroradiography: determination of X-ray sensitivity
V. Aiyah, S.O. Kasap, B. Polischuk and A. Baille 777
Measurement and simulation of the dynamic performance of a-Si:H image sensors
H. Wieczorek 781
Optimization criteria for a-Si:H nipin color sensors
H. Stiebig and M. Böhm 785
Two dimensional image sensors based on amorphous silicon alloy p–i–n diodes
G. De Cesare, P. Di Rosa, S. La Monica, R. Salotti, L. Schirone, G. Saggio and E. Verona ... 789
Hydrogenated amorphous silicon based light-addressable potentiometric sensor (LAPS) for hydrogen detection
A. Pecora, G. Fortunato, R. Carluccio and S. Sacco 793
Material properties, project design rules and performances of single and dual-axis a-Si:H large area position sensitive detectors
E. Fortunato, M. Vieira, G. Lavareda, L. Ferreira and R. Martins 797
a-Si:H based particle detectors with low depletion voltage
C. Morosanu, C. Cesile, S. Korepanov, P. Fiorini, C. Bacci, F. Meddi, F. Evangelisti and A. Mittiga 801
Design, realization and characterization of mesa insulated a-Si bulk barrier phototransistor
G. Masini, D. Caputo, G. De Cesare, A. Dobosz and F. Palma 805

Section 14. Diverse devices

Visible thin film light emitting diode using a-SiN:H/a-SiC:H heterojunctions
D. Kruangam, W. Boonkosum and S. Panyakeow 809
a-SiC:H thin film visible light-emitting diodes with highly conductive wide band gap a-SiC:H as the carrier injection layers
S.P. Lau, J.M. Marshall, T.E. Dyer, A.R. Hepburn and J.F. Davies 813
Use of a-Si:H memory devices for non-volatile weight storage in artificial neural networks
A.J. Holmes, R.A.G. Gibson, J. Hajto, A.F. Murray, A.E. Owen, M.J. Rose and A.J. Snell ... 817
DC and ac measurements on metal/a-Si:H/metal thin film devices
J. Hajto, A.J. Snell, J. Hu, A. Holmes, A.E. Owen, M.J. Rose and R.A.G. Gibson 821

Section 15. Interfaces and multilayers

In situ investigation of amorphous silicon–silicon dioxide interfaces by infrared ellipsometry
R. Ossikovski, H. Shirai and B. Drévillon 825
Electronic and structural properties of the a-Si:H/a-SiN_x:H interface
M.F. Plass, J. Ristein and L. Ley 829
Electronic states of a-Si:H upon Cs adsorption and deep defect creation
F. Patriarca, M. Sebastiani, S.L. Wang, I. Chambouleyron and F. Evangelisti 833
Carrier transport in a-Si:H/a-Si:N and a-Si:H/a-Si:C multilayers
J.-B. Chévrier, R. Vanderhaghen, C. Swiatkowski, H.-C. Neitzert and M. Kunst 837

Structural and optical properties of a-Si:H/a-Ge:H multilayers
H. Deki, S. Miyazaki, M. Ohmura and M. Hirose 841
A position detector based on the lateral photoeffect in a-Si:H/metal (Ti, Mo) multilayers
A.N. Panckow, J. Bläsing and T.P. Drüsedau 845
Interface state density of SiN_x:H/c-Si MIS structure
K. Maeda, T. Jinnai and I. Umezu 849
Radiative transition with visible light in crystallized a-Ge:H/a-SiN_x:H multiquantum-well structures
K.J. Chen, J.G. Jiang, X.F. Huang, Z.F. Li, X.X. Qu, J.F. Du and D. Feng 853
Amorphous silicide formation in the Cr/amorphous silicon system
Y. Masaki, S. Nonomura, R.A.G. Gibson, T. Sakimoto, T. Kurokawa and H. Kawai 857
On the determination of the interface density of states in a-Si:H/a-$Si_{1-x}C_x$:H multilayers
J. Bertomeu, J. Puigdollers, J.M. Asensi and J. Andreu 861
Optically-induced stepwise absorption in $Se/Se_{85}Te_{15}$ multilayers
E. Vateva and I. Georgieva 865
Amorphous silicon on TiO_2: charge transfer and interface structure
A. Wahi, P. Hoyer and R. Könenkamp 869
Charge transport along and across a-Si:H/a-SiC:H multilayers
K. Arlauskas, G. Juška, R. Schwartz and T. Fischer 873

Section 16. Optical properties

New applications of the equation-of-motion method: optical properties
D. Weaire, D. Hobbs, G.J. Morgan, J.M. Holender and F. Wooten 877
Structure and optical properties of a-$Si_{1-x}N_x$:H alloys
J. Sotiropoulos, W. Fuhs and N. Nickel 881
Femtosecond photomodulation spectroscopy of a-Si:H using an optical parametric oscillator
J.A. Moon and J. Tauc 885
Optical properties of amorphous gallium arsenide films
R. Murri and N. Pinto 889
Study of band-edge parameters in a-Si:H alloys by polarized electroabsorption effects
Y. Tsutsumi, H. Yamamoto, K. Hattori, H. Okamoto and Y. Hamakawa 893
Optical contrast formation in a-$Si_{1-x}C_x$:H films by ion implantation
T. Tsvetkova, N. Tzenov, M. Tzolov, D. Dimova-Malinovska, G. Adriaenssens, H. Pattyn and W. Lauwerens 897
Linear and nonlinear optical properties of chalcogenide glasses
E. Hajto, P.J.S. Ewen and A.E. Owen 901
Influence of surface defects on CPM spectra
A. Asano, Y. Ichikawa and H. Sakai 905
Gap state defects in hydrogenated amorphous silicon–carbon alloys studied by photothermal deflection spectroscopy
M. Fathallah 909
Studies on optical absorption coefficients α of a-Si:H by photoluminescence absorption spectroscopy
S. Nitta, E. Nishimura, T. Minamide, T. Uchida and S. Nonomura 913

Section 17. Phonons

Phonon localization and transport in disordered systems
R. Orbach 917

Nonequilibrium phonon dynamics in amorphous silicon
A.J. Scholten, A.V. Akimov, P.A.W.E. Verleg, J.I. Dijkhuis and R.S. Meltzer 923
Light scattering by acoustic phonons in unhydrogenated and hydrogenated amorphous silicon
E. Bustarret, C. Thomsen, M. Stutzmann, A. Asano and C. Summonte 927

Section 18. Porons silicon

Electronic and structural properties of porous silicon
M. Stutzmann, M.S. Brandt, E. Bustarret, H.D. Fuchs, M. Rosenbauer, A. Höpner and J. Weber 931
Preparation and properties of anodized amorphous silicon
E. Bustarret, J. Cali, Y. Cros, M. Brunel, I. Mihalcescu and M. Ligeon 937
New interpretation for visible photoluminescence in porous silicon
M. Kondo 941
Visible light emission at room temperature from PECVD a-Si:H:O
J.F. Du, T. Wan and B. Zhou 945
A visible light-emitting diode using a PN junction of porous silicon and microcrystalline silicon carbide
H. Mimura, T. Futagi, T. Matsumoto and Y. Kanemitsu 949
Ultrafast electronic relaxation processes in porous silicon
T. Matsumoto, O.B. Wright, T. Futagi, H. Mimura and Y. Kanemitsu 953
Nature of electron spin resonance centers in porous silicon
H. Yokomichi, H. Takakura, M. Kondo and K. Morigaki 957
Transport properties of selfsupporting porous silicon
O. Klíma, P. Hlinomaz, A. Hospodková, J. Oswald and J. Kočka 961
Light induced metastable effects on the electrical conductance in porous silicon
W.H. Lee, H. Lee and C. Lee 965
Electronic structure of a fractal model of porous silicon
J.X. Zhong and R. Mosseri 969

Section 19. Micro- and macrocrystalline Si

An application of the statistical shift model to the inverted Meyer–Neldel, M–N, relationship in heavily-doped microcrystalline Si, μc-Si
G. Lucovsky and H. Overhof 973
A detailed photoluminescence study of crystallized a-Si:H multiquantum-well structures
K.J. Chen, X.F. Huang, J. Xu, S. Yamasaki, K. Tanaka, H. Kawanami, H. Oheda and A. Matsuda 977
Annealing studies on the microcrystalline silicon system
P. Hapke, F. Finger, R. Carius, H. Wagner, K. Prasad and R. Flückiger 981
Surface controlled plasma deposition and etching of silicon near the chemical equilibrium
M. Heintze, W. Westlake and P.V. Santos 985
Plasma deposition of microcrystalline silicon: the selective etching model
I. Solomon, B. Drévillon, H. Shirai and N. Layadi 989
The role of hydrogen radicals for nucleation and growth of nanocrystalline silicon
M. Otobe and S. Oda 993
Electrical properties of microcrystalline silicon prepared by reactive magnetron sputtering from crystalline silicon targets
W.A. Turner and G. Lucovsky 997

Polysilicon produced by excimer (ArF) laser crystallisation and low-temperature (600°C) furnace crystallisation of hydrogenated amorphous silicon (a-Si:H)
T.E. Dyer, J.M. Marshall, W. Pickin, A.R. Hepburn and J.F. Davies 1001
Effect of grain boundary states on CPM spectra of hydrogenated nanocrystalline silicon
H.N. Liu, Y.L. He, F. Wang and S. Grebner 1005

Section 20. Silicon alloys

Atomic and electronic structure of a-$Si_{1-x}C_x$:H alloys
F. Evangelisti 1009
Electronic density of states in a-SiC:H films
F. Demichelis, G. Crovini, F. Giorgis, C.F. Pirri, E. Tresso, G. Amato, H. Herremans, W. Grevendonk and P. Rava 1015
Electronic structure and band-gap study of $Si_{1-x}C_x$
J.P. Xanthakis 1019
Si K-, Si L- and C K-emission bands and electronic structure of amorphous $Si_{1-x}C_x$:H alloys
G. Wiech, H. Langer, U. Lepa and A. Šimůnek 1023
Photoluminescence studies on silicon carbon alloys
C. Schmidt de Magalhães, C. Bittencourt, L.R. Tessler and F. Alvarez 1027
Amorphous hydrogenated silicon carbon from VHF deposition
R. Zedlitz, E. Lotter and M. Heintze 1031
Relations among structural and optoelectronic properties in a-SiC:H films with high C content and high photoconductivity
G. Leo, G. Galluzzi, G. Guattari, R. Vincenzoni, F. Demichelis, G. Crovini, C.F. Pirri and E. Tresso 1035
Characterization of optoelectronic properties of a-$Si_{1-x}C_x$:H films
F. Wang and R. Schwarz 1039
Preparation of a-Si_xC_{1-x}:H films by a separately-excited plasma CVD method
A. Tabata, Y. Kuno, Y. Suzuoki and T. Mizutani 1043
Drift mobility measurements in a-$Si_{1-x}C_x$:H
G.J. Adriaenssens and Ö. Öktü 1047
Photo-oxidation of a-Si:C:H films
F. Ibrahim, J.I.B. Wilson and P. John 1051
Defects in amorphous hydrogenated silicon nitride films
J. Kanicki and W.L. Warren 1055
Metastable centers and photoconduction in a-SiN_x:H
Y. Nakayama, P. Stradins and H. Fritzsche 1061
Photoinduced ESR in amorphous silicon alloyed with various amounts of nitrogen
M. Kumeda, A. Sugimoto, J. Zhang, Y. Ozawa and T. Shimizu 1065
Bridging nitrogen dangling bond centers and electron trapping in amorphous NH_3-nitrided and reoxidized nitrided oxide films
J.T. Yount and P.M. Lenahan 1069
Local order and H-bonding in N-rich amorphous silicon nitride
C. Sénémaud, A. Gheorghiu, L. Amoura, R. Etemadi, H. Shirai, C. Godet, M. Fang and S. Gujrathi 1073
Analysis of local structure in amorphous SiN_x:H alloy films in terms of X-ray emission spectroscopy
A. Šimůnek and G. Wiech 1077

Amorphous silicon oxide with microcrystalline Si phase
P. Sichanugrist, T. Yoshida, Y. Ichikawa and H. Sakai 1081

Structure of high-photosensitivity silicon-oxygen alloy films
H. Watanabe, K. Haga and T. Lohner 1085

Properties of sputtered a-SiO_x:H alloys with a visible luminescence
M. Zacharias, H. Freistedt, F. Stolze, T.P. Drüsedau, M. Rosenbauer and M. Stutzmann 1089

Time-of-flight and constant-photocurrent measurements in a-Si:S:H alloys
A. Eliat, J. Jansen, S. Usala and G.J. Adriaenssens 1093

Density of states in a-$Si_{1-y}Ni_y$:H alloys determined by X-ray and optical spectroscopies
A. Gheorghiu, C. Sénémaud, R. Asal and E.A. Davis 1097

Section 21. Carbon

Tetrahedral amorphous carbon properties and applications
D.R. McKenzie, Y. Yin, N.A. Marks, C.A. Davis, E. Kravtchinskaia, B.A. Pailthorpe and G.A.J. Amaratunga 1101

Atomic structure of tetrahedral amorphous carbon
K.W.R. Gilkes, P.H. Gaskell and J. Yuan 1107

Influence of carbon ion energy on properties of highly tetrahedral diamond-like carbon
V.S. Veerasamy, G.A.J. Amaratunga, W.I. Milne, J. Robertson and P.J. Fallon 1111

Deposition mechanism of a-C and a-C:H
J. Robertson 1115

Doping of highly tetrahedral amorphous carbon
G.A.J. Amaratunga, V.S. Veerasamy, C.A. Davis, W.I. Milne, D.R. McKenzie, J. Yuan and M. Weiler 1119

Electronic structure and defect density of states of hydrogenated amorphous carbon (a-C:H) as determined by photoelectron and photoelectron yield spectroscopy
J. Schäfer, J. Ristein and L. Ley 1123

Influence of substrate bias on the properties of a-C:H films prepared by plasma CVD
S. Xu, M. Hundhausen, J. Ristein, B. Yan and L. Ley 1127

Structural studies and electronic properties of diamondlike amorphous carbon
P.C. Kelires, C.H. Lee and W.R. Lambrecht 1131

Calculation of the spectral momentum density for electrons in a topologically disordered model of amorphous graphite
A. Gibson and R. Haydock 1135

The structure of a-C:H(D) by neutron diffraction and isotopic enrichment
T.M. Burke, R.J. Newport, W.S. Howells, K. Gilkes and P. Gaskell 1139

The temperature dependence of the structure of amorphous carbon
S. Kugler, K. Shimakawa, T. Watanabe, K. Hayashi, I. László and R. Bellissent 1143

The role of π and π^* Gaussian-like density-of-states bands in the interpretation of the physical properties of a-C and a-C:H films
D. Dasgupta, C. De Martino, F. Demichelis and A. Tagliaferro 1147

Polarization memory of photoluminescence in a-C:H film
M. Koós, I. Pócsik and L. Tóth 1151

The position of the fundamental absorption edge and activation energies for thermally activated conductivity in amorphous carbon layers
M. Vogel, O. Stenzel and R. Petrich 1155

Section 22. Chalcogenides

Photo-induced atomic processes in vitreous chalcogenides
A.V. Kolobov 1159

Anisotropy of photoinduced light-scattering in glassy As_2S_3
V. Lyubin, M. Klebanov, S. Rosenwaks and V. Volterra 1165
The origin of photo-induced optical anisotropies in chalcogenide glasses
H. Fritzsche 1169
Mechanism of the semiconductor–superconductor transition in amorphous chalcogenides
S.D. Savransky 1173
Superconductivity in chalcogenide glasses
N.F. Mott 1177
Ion-conducting amorphous semiconductor Ag–As–S
K. Tanaka 1179
Distribution of barrier heights in a-SiO_2 and a-Se
R. Keil, G. Kasper and S. Hunklinger 1183
Observation of variable-range hopping conduction in a Ge–Sb–S glas alloyed with CoS
P. Nagels, L. Tichý and H. Tichá 1187
Large changes in the electrical conductivity of tetrahedrally-coordinated chalcogenide glasses containing oxygen
P.C. Taylor, R.E. Shirey, S. Girlani and J. Hautala 1191
Plasma-enhanced chemical vapour deposition of amorphous Ge_xSe_{1-x} films
E. Sleeckx, P. Nagels, R. Callaerts and M. Van Roy 1195
Inverse-photoemission spectra of amorphous chalcogenides
S. Hosokawa, Y. Hari, K. Nishihara, M. Tamura and M. Taniguchi 1199
Photoinduced changes by polarisation holographic recording in $Se_{70}Ag_{15}I_{15}$ thin films
M. Mitkova, T. Petkova, P. Markovski and V. Mateev 1203
On the nature of irreversible photo and thermoinduced changes in evaporated a-As_xS_{1-x} layers
A. Buroff and R. Stoycheva-Topalova 1207
Optical bistability and critical slowing down in α-GeS_2
V.M. Lyubin and V.K. Tikhomirov 1211
Stable anisotropy in glassy As_2S_3:In
T.F. Mazets, E.A. Smorgonskaya and V.K. Tikhomirov 1215
Nonlinear optical properties of silver-doped As_2S_3
T.I. Kosa, R. Rangel-Rojo, E. Hajto, P.J.S. Ewen, A.E. Owen, A.K. Kar and B.S. Wherrett ... 1219
On the influence of Ag-photodoping on the optical properties of As–S glass films
E. Márquez, J.B. Ramírez-Malo, J. Fernández-Peña, P. Villares, R. Jiménez-Garay, P.J.S. Ewen and A.E. Owen 1223
Backward-wave phonon echoes from tunneling systems in chalcogenide glasses
N. Bollé, L. Michiels, A.V. Kolobov and G.J. Adriaenssens 1227
Mechanism of photosurface deposition
T. Kawaguchi, S. Maruno and K. Tanaka 1231
Time-of-flight photocurrents in As_2Se_3 and Se under bias illumination
M. Itoh and K. Tanaka 1235
Structural changes in amorphous arsenic triselenide below the glass-transition temperature
H. Naito, H. Amii, M. Okuda and T. Matsushita 1239
The photostructural changes and reactivity of chalcogenide layers
M. Frumar, M. Cvrkal, M. Vlček and T. Wágner 1243
Diffractive infrared optical elements in chalcogenide glasses
P.J.S. Ewen, A. Zekak, C.W. Slinger, G. Dale, D.A. Pain and A.E. Owen 1247
High performance acousto-optic chalcogenide glass based on Ga_2S_3–La_2S_3 systems
I. Abdulhalim, C.N. Pannell, R.S. Deol, D.W. Hewak, G. Wylangowski and D.N. Payne 1251

Kinetics and reaction products of the photo-induced solid state chemical reaction between silver and amorphous $As_{33}S_{67}$ layers
T. Wagner, M. Vlček, V. Smrčka, P.J.S. Ewen and A.E. Owen 1255

Optical studies of disorder and defects in amorphous Ge_xSe_{1-x} films as a function of composition
M.F. Kotkata, K.M. Kandil and M.L. Thèye 1259

Section 23. Organic semiconductors

The role of inter-oligomer separation on charge transport in terthiophene-doped polycarbonate
A.R. Hepburn, D.M. Goldie, J.M. Marshall, J.M. Maud and D.M. Haynes 1263

Photocreated metastable state in organopolysilanes
M. Kondo, K. Morigaki, K. Takeda, K. Shiraishi and M. Fujiki 1267

Microscopic nature of hopping charge transport in disordered molecular solids
Y. Kanemitsu 1271

Photocarrier generation in σ-bonded organic polysilane
R. Hattori, Y. Aoki and J. Shirafuji 1275

Photoluminescence from silicon polymers with different backbone structures
Y. Kanemitsu 1279

Author index Parts I and II 1283

Subject index Parts I and II 1304